INDEX

ABSORPTION, gastrointestinal, of calcium-45 in the rat and chick, interrelated effects of L-lysine and other dietary factors on, 367.

AFTERGOOD, L., H. J. DEUEL, JR., AND R. B. ALFIN-SLATER. The comparative effects of cottonseed oil and lard on cholesterol levels in the tissues of rats, 129.

ALEXANDER, H. D. See Day, E. J., 27; 107.

Alfalfa and other succulent plants, beneficial effects on the growth of immature guinea pigs fed a mineralized dried-milk ration, 295.

ALFIN-SLATER, R. B. See Aftergood, L., 129.

ALLISON, J. B. See Brush, M. K., 601.

Amino acid(s) and niacin content of millet (Setaria italica) and its supplementary nutritive value for corn (maize), 377.

—— requirements, dietary bulk and, 61.

———— of men and women. I. Lysine, 71.

—— supplements, nutritional improvement of white flour with protein and, 503.

—— test diet for chinook salmon. Nutrition of salmonoid fishes. IV., 245.

—— utilization of from foods by the rat. IV. Tryptophan, 513.

ANDERSON, J. T., A. KEYS AND F. GRANDE. The effects of different food fats on serum cholesterol concentration in man, 421.

Anemia in gastrectomized rats, effect of vitamin B_{12} and Aureomycin supplements on vitamin B_{12} liver stores and on the development of, 585.

Antibiotics, studies on the effect of on the intestinal weights of chicks, 253.

Ascorbic acid and carotene content of turnip greens, influence of shading upon changes in as compared with changes in fresh weight, dry weight and nitrogen fractions, 39.

—— The Vanderbilt cooperative study of maternal and infant nutrition. X., 201.

ASHTON, G. C. See Peo, E. R., Jr., 465; 475.

Aureomycin (Vitamin B_{12} and) supplements, effect of on vitamin B_{12} liver stores and on the development of anemia in gastrectomized rats, 585.

BAIRD, C. D. C. See Nelson, M. M., 395.

Beef exposed to gamma radiation, bioassay of thiamine in, 107.

— water-soluble vitamins in raw ground, effects of gamma radiation on, 27.

BERG, R. T. See Sibbald, I. R., 171; 185.

BIRD, H. R. See Sullivan, T. W., 143.

Blood serum components of baby pigs, effect of levels of protein on repletion gains and. Application of the protein depletion-repletion technique in bay pig feeding experiments. II., 475.

BOWLAND, J. P. See Sibbald, I. R., 171; 185.

BRIDGFORTH, E. See Martin, M. P., 201.

BRIGGS, G. M. See Fox, M. R. S., 539.

BRUSH, M. K., J. R. MCCOY, H. L. ROSENTHAL, L. A. STAUBER AND J. B. ALLISON. The addition of non-ionic surface-active agents of the polyoxyethylene type to the diet of the hamster, the mouse and the dog, 601.

Bulk, dietary, and amino acid requirements, 61.

CALCIUM, phosphorus and magnesium balances of young college women consuming self-selected diets, 489.

— -45, gastrointestinal absorption of in the rat and chick, interrelated effects of L-lysine and other dietary factors on, 367.

— physiological behavior of in the rat, 325.

Carotene content (Ascorbic acid and) of turnip greens, influence of shading upon changes in as compared with changes in fresh weight, dry weight and nitrogen fractions, 39.

Casein as a source of protein for the chick, 97.

CATRON, D. V. See Peo, E. R., Jr., 465; 475.

Chick(s), casein as a source of protein for the, 97.

— effects of antibiotics on the intestinal weights of, 255.

— growing, phenylalanine and tyrosine requirement of, with special reference to the utilization of the D-isomer of phenylalanine, 349.

— nutrients affecting the vitamin B_{12} requirement of, 539.

— and poults, comparative metabolism of phytate and inorganic P^{32} by, 13.

— (rat and), interrelated effects of L-lysine and other dietary factors on the gastrointestinal absorption of calcium-45 in the, 367.

— utilization of the hydroxy analogues of methionine and glycine by, effect of quantity and source of dietary nitrogen on, 143.

Chinook salmon, an amino acid test diet for. Nutrition of salmonoid fishes. IV., 245.

—— water-soluble vitamin requirements of. Nutrition of salmonoid fishes. III., 225.

Cholesterol levels in the tissues of rats, the comparative effects of cottonseed oil and lard on, 129.

— serum, in man, effects of different food fats on, 421.

CLARK, H. E., E. T. MERTZ, E. H. KWONG, J. H. HOWE AND D. C. DELONG. Amino acid requirements of men and women. I. Lysine, 71.

COLE, J. J. See Hogan, A. G., 97.

COLLINS, R. A. See Gillis, M. B., 13.

COMAR, C. L. See Wasserman, R. H., 367.

COMMON, R. H., E. W. CRAMPTON, F. FARMER AND A. S. W. DEFREITAS. Studies to determine the nature of the damage to the nutritive value of menhaden oil from heat treatment, 341.

Corn, high-oil, high-protein, studies on the protein quality of, 575.

— (maize), supplementary nutritive value of millet (Setaria italica) for, 377.
Cottonseed oil and lard, comparative effects of on cholesterol levels in the tissues of rats, 129.
COUCH, J. R. See Creech, B. G., 83.
COURTNEY, P. W. See Scoular, F. I., 489.
CRAGHEAD, R. W. See Hogan, A. G., 97.
CRAMPTON, E. W. See Common, R. H., 341.
CREECH, B. G., G. L. FELDMAN, T. M. FERGUSON, B. L. REID AND J. R. COUCH. Exudative diathesis and vitamin E deficiency in turkey poults, 83.
CROWDER, H. M. See Hansard, S. L., 325.

DARBY, W. J. See Mangay, A. S., 377; Martin, M. P., 201; Pearson, W. N., 445.
DAVIS, A. N. See Scoular, F. I., 489.
DAY, E. J., H. D. ALEXANDER, H. E. SAUBERLICH AND W. D. SALMON. Effects of gamma radiation on certain water-soluble vitamins in raw ground beef, 27.
— H. E. SAUBERLICH, H. D. ALEXANDER AND W. D. SALMON. The bioassay of thiamine in beef exposed to gamma radiation, 107.
DAY, H. G. See Maurer, R. L., 561.
DEFREITAS, A. S. W. See Common, R. H., 341.
DELONG, D. C. See Clark, H. E., 71.
DESHPANDE, P. D., A. E. HARPER AND C. A. ELVEHJEM. Nutritional improvement of white flour with protein and amino acid supplements, 503.
DEUEL, H. J., JR. See Aftergood, L., 129.
Diathesis, exudative, and vitamin E deficiency in turkey poults, 83.
Diet(s), amino acid test for chinook salmon. Nutrition of salmonoid fishes. IV., 245.
— of the hamster, the mouse and the dog, addition of non-ionic surface-active agents of the polyoxyethylene type to, 601.
— self-selected, calcium, phosphorus and magnesium balances of young college women consuming, 489.
— trypsin inhibitor, effect of on the intestinal and pancreatic nitrogen in the rat, 285.
Dog, addition of non-ionic surface-active agents of the polyoxyethylene type to the diet of the, 601.
— growing, effect of increased dietary fat upon the protein requirement of, 163.

ELVEHJEM, C. A. See Deshpande, P. D., 503; Gupta, J. D., 313.
ERSHOFF, B. H. Beneficial effects of alfalfa and other succulent plants on the growth of immature guinea pigs fed a mineralized dried-milk ration, 295.
— H. J. HERNANDEZ AND J. M. MUCKENTHALER. Potentiating effects of materials of plant and animal origin on symptoms of hypervitaminosis A in the rat, 527.
EVANS, H. M. See Nelson, M. M., 395.

FARMER, F. See Common, R. H., 341.
Fat deficiency, relation of thyroid activity to increased metabolism induced by, 119.
— increased dietary, effect of upon the protein requirement of the growing dog, 163.
FELDMAN, G. L. See Creech, B. G., 83.
FERGUSON, T. M. See Creech, B. G., 83.
FINERTY, J. C. See Morris, D. M., 119.
FINLEY, M. H. See Scoular, F. I., 489.
FISHER, H., D. JOHNSON, JR. AND G. A. LEVEILLE. The phenylalanine and tyrosine requirement of the growing chick with special reference to the utilization of the D-isomer of phenylalanine, 349.
Fishes, salmonoid, nutrition of. III. Water-soluble vitamin requirements of chinook salmon, 225; IV. An amino acid test diet for chinook salmon, 245.
Flour, improving the nutritive value of. VIII. Lysine, tryptophan, valine and methionine as supplements to the protein in flour, 151.
— white, nutritional improvement of with protein and amino acid supplements, 503.
Fluorine, non-essentiality of in nutrition, 561.
Folic acid, effect of on the use of glycine by the turkey poult, 593.
Food intake and nitrogen retention of weanling rats fed protein-free rations, 171.
———————— influence of nitrogen source on, 185.
— utilization of for weight maintenance and growth, 551.
FORBES, R. M. See Griminger, P., 61.
FOX, M. R. S., G. M. BRIGGS AND L. O. ORTIZ. Nutrients affecting the vitamin B_{12} requirements of chicks, 539.

GILLIS, M. B., K. W. KEANE AND R. A. COLLINS. Comparative metabolism of phytate and inorganic P^{32} by chicks and poults, 13.
Glycine (methionine and), hydroxy analogues of, effect of quantity and source of dietary nitrogen on the utilization of by chicks, 143.
— use of by the turkey poult, effect of folic acid on, 593.
GRANDE, F. See Anderson, J. T., 421.
GRIJNS, GERRIT (May 28, 1865 – November 11, 1944), 1.
GRIMINGER, P., H. M. SCOTT AND R. M. FORBES. Dietary bulk and amino acid requirements, 61.
Growth, utilization of food for weight maintenance and, 551.
Guinea pigs, immature, fed a mineralized dried-milk ration, beneficial effects of alfalfa and other succulent plants on the growth of, 295.
GUPTA, J. D., AND C. A. ELVEHJEM. Biological availability of tryptophan, 313.

HALSTED, J. A. See Swendseid, M. E., 585.
HALVER, J. E. Nutrition of salmonoid fishes. III. Water-soluble vitamin requirements of chinook salmon, 225; IV. An amino acid test diet for chinook salmon, 245.
Hamster, addition of non-ionic surface-active agents of the polyoxyethylene type to the diet of the, 601.
HANSARD, S. L., AND H. M. CROWDER. The physiological behavior of calcium in the rat, 325.
HARPER, A. E. See Deshpande, P. D., 503.
HAYS, V. W. See Peo, E. R., Jr., 465; 475.
HERNANDEZ, H. J. See Ershoff, B. H., 527.
HILL, C. H., A. D. KEELING AND J. W. KELLY. Studies on the effect of antibiotics on the intestinal weights of chicks, 255.
Histidine as an essential nutrient for the adult rat, 357.
HOEFER, J. A. See Miller, E. R., 407.

HOGAN, A. G., R. W. CRAGHEAD, J. E. SAVAGE, J. J. COLE AND B. L. O'DELL. Casein as a source of protein for the chick, 97.
HOWE, J. M. See Clark, H. E., 71.
Hypervitaminosis A in the rat, potentiating effects of materials of plant and animal origin on symptoms of, 527.

JOHNSON, D., JR. See Fisher, H., 349.
JOHNSON, R. E. See Kaunitz, H., 551.
JONES, M. M. See Scoular, F. I., 489.

KANNARR, J. See Westerman, B. D., 151.
KAUNITZ, H., C. A. SLANETZ AND R. E. JOHNSON. Utilization of food for weight maintenance and growth, 551.
KEANE, K. W. See Gillis, M. B., 13.
KEELING, A. D. See Hill, C. H., 255.
KELLY, J. W. See Hill, C. H., 255.
KELLY, W. C. See Somers, G. F., 39.
KEYS, A. See Anderson, J. T., 421.
KIK, M. C. Gerrit Grijns (May 28, 1865 – November 11, 1944), 1.
KIRKLAND, S. See Scoular, F. I., 489.
KLEIN, G. F. See Morris, D. M., 119.
KRATZER, F. H., AND F. H. LANTS. The effect of folic acid on the use of glycine by the turkey poult, 593.
KWONG, E. H. See Clark, H. E., 71.

LANTS, F. H. See Kratzer, F. H., 593.
Lard (cottonseed oil and), comparative effects of on cholesterol levels in the tissues of rats, 129.
LENGEMANN, F. W. See Wasserman, R. H., 367.
LEPKOVSKY, S. See Lyman, R. L., 269.
LEVEILLE, G. A. See Fisher, H., 349.
LIU, C. H. See Peo, E. R., Jr., 465; 475.
LONG, N. J. See Swendseid, M. E., 585.
LUECKE, R. W. See Miller, E. R., 407.
LUSHBOUGH, C. H., T. PORTER AND B. S. SCHWEIGERT. Utilization of amino acids from foods by the rat. IV. Tryptophan, 513.
LYMAN, R. L. The effect of raw soybean meal and trypsin inhibitor diets on the intestinal and pancreatic nitrogen in the rat, 285.
— AND S. LEPKOVSKY. The effect of raw soybean meal and trypsin inhibitor diets on pancreatic enzyme secretion in the rat, 269.
Lysine. Amino acid requirements of men and women. I., 71.
— (L-) and other dietary factors, interrelated effects of on the gastrointestinal absorption of calcium-45 in the rat and chick, 367.
— tryptophan, valine and methionine as supplements to the protein in flour. Improving the nutritive value of flour. VIII., 151.

MAGNESIUM (Calcium, phosphorus and) balances of young college women consuming self-selected diets, 489.
Maize, cooked vs. raw, influence on the growth of rats receiving a 9% casein ration, 445.
Man, serum cholesterol concentration in, effects of different food fats on, 421.
MANGAY, A. S., W. N. PEARSON AND W. J. DARBY. Millet (Setaria italica): Its niacin content and supplementary nutritive value for corn (maize), 377.
MARTIN, M. P., E. BRIDGFORTH, W. J. MCGANITY AND W. J. DARBY. The Vanderbilt study of maternal and infant nutrition. X. Ascorbic acid, 201.
MAURER, R. L., AND H. G. DAY. The non-essentiality of fluorine in nutrition, 561.
MCCOY, J. R. See Brush, M. K., 601.
MCGANITY, W. J. See Martin, M. P., 201.
Men and women, amino acid requirements of. I. Lysine, 71.
Menhaden oil, studies to determine the nature of the damage to the nutritive value of from heat treatment, 341.
MERTZ, E. T. See Clark, H. E., 71.
Metabolism, increased, induced by fat deficiency, relation of thyroid activity to, 119.
— of phytate and inorganic P^{32} by chicks and poults, 13.
Methionine and glycine, hydroxy analogues of, effect of quantity and source of dietary nitrogen on the utilization of by chicks, 143.
— (Lysine, tryptophan, valine and) as supplements to the protein in flour. Improving the nutritive value of flour. VIII., 151.
Milk (mineralized) ration, beneficial effects of alfalfa and other succulent plants on the growth of immature guinea pigs fed a, 295.
MILLER, E. R., D. A. SCHMIDT, J. A. HOEFER AND R. W. LUECKE. The pyridoxine requirement of the baby pig, 407.
Millet (Setaria italica): Its amino acid and niacin content and supplementary nutritive value for corn (maize), 377.
MOORE, T. B., AND J. E. WILSON. Histidine as an essential nutrient for the adult rat, 357.
MORRIS, D. M., T. C. PANOS, J. C. FINERTY, R. L. WALL AND G. F. KLEIN. Relation of thyroid activity to increased metabolism induced by fat deficiency, 119.
Mouse, addition of non-ionic surface-active agents of the polyoxyethylene type to the diet of the, 601.
MUCKENTHALER, J. M. See Ershoff, B. H., 527.

NELSON, M. M., H. V. WRIGHT, C. D. C. BAIRD AND H. M. EVANS. Teratogenic effects of pantothenic acid deficiency in the rat, 395.
Niacin (amino acid and) content of millet (Setaria italica) and its supplementary nutritive value for corn (maize), 377.
Nitrogen, dietary, effect of quantity and source of on the utilization of the hydroxy analogues of methionine and glycine by chicks, 143.
— retention (food intake and) of weanling rats fed protein-free rations, 171.
— — — — — — — — — — influence of nitrogen source on, 185.
— source, influence of on food intake and nitrogen retention of weanling rats, 185.
Nutrition, non-essentiality of fluorine in, 561.
Nutritive value of menhaden oil, studies to determine the nature of the damage to from heat treatment, 341.
Nutrition, Vanderbilt cooperative study of maternal and infant. X. Ascorbic acid, 201.

O'DELL, B. L. See Hogan, A. G., 97.
ONTKO, J. A., R. E. WUTHIER AND P. H. PHILLIPS. The effect of increased dietary fat upon the protein requirement of the growing dog, 163.
ORTIZ, L. O. See Fox, M. R. S., 539.

PACE, J. K. See Scoular, F. I., 489.
PANOS, T. C. See Morris, D. M., 119.
Pantothenic acid deficiency in the rat, teratogenic effects of, 395.
PEARSON, W. N. See Mangay, A. S., 377.
PEARSON, W. N., S. J. STEMPFEL, J. S. VALENZUELA, M. W. UTLEY AND W. J. DARBY. The influence of cooked vs. raw maize on the growth of rats receiving a 9% casein ration, 445.
PEO, E. R., JR., V. W. HAYS, G. C. ASHTON, V. C. SPEER, C. H. LIU AND D. V. CATRON. Application of the protein depletion-repletion technique in baby pig feeding experiments. I. A comparison of levels and sources of protein for baby pigs, 465; II. Effect of levels of protein on repletion gains and blood serum components of baby pigs, 475.
Phenylalanine and tyrosine requirement of the growing chick with special reference to the utilization of the D-isomer of phenylalanine, 349.
— (D-) utilization of by the growing chick, 349.
PHILLIPS, P. H. See Ontko, J. A., 163.
Phosphorus and magnesium (Calcium) balance of young college women consuming self-selected diets, 489.
Phytate and inorganic P^{32}, comparative metabolism of by chicks and poults, 13.
Pig (baby) feeding experiments, application of the protein depletion-repletion technique in. I. A comparison of levels and sources of protein for baby pigs, 465; II. Effect of levels of protein on repletion gains and blood serum components of baby pigs, 475.
— baby, pyridoxine requirement of, 407.
Polyoxyethylene type of surface-active agents, non-ionic, addition of to the diet of the hamster, the mouse and the dog, 601.
PORTER, T. See Lushbough, C. H., 513.
Poults (chicks and), comparative metabolism of phytate and inorganic P^{32} by, 13.
Protein and amino acid supplements, nutritional improvement of white flour with, 503.
— for the chick, casein as a source of, 97.
— depletion-repletion technique, application of in baby pig feeding experiments. I. A comparison of levels and sources of protein for baby pigs, 465; II. Effects of levels of protein on repletion gains and blood serum components of baby pigs, 475.
— effect of levels of on repletion gains and blood serum components of baby pigs. Application of the protein depletion-repletion technique in baby pig feeding experiments. II., 475.
— -free rations, food intake and nitrogen retention of weanling rats fed, 171.
— levels and sources of for baby pigs, a comparison of. Application of the protein depletion-repletion technique in baby pig feeding experiments. I., 465.
— quality of high-oil, high-protein corn, studies on, 575.
— requirement of the growing dog, effect of increased dietary fat upon, 163.
Pyridoxine requirement of the baby pig, 407.

RADIATION, gamma, bioassay of thiamine in beef exposed to, 107.
— — effects of on certain water-soluble vitamins in raw ground beef, 27.
Rat(s), adult, histidine as an essential nutrient for the, 357.
— and chick, interrelated effects of L-lysine and other dietary factors on the gastrointestinal absorption of calcium-45 in the, 367.
— comparative effects of cottonseed oil and lard on cholesterol levels in the tissues of, 129.
— utilization of amino acids from foods by. IV. Tryptophan, 513.
— gastrectomized, effect of vitamin B_{12} and Aureomycin supplements on vitamin B_{12} liver stores and on the development of anemia in, 585.
— hypervitaminosis A in, potentiating effects of materials of plant and animal origin on, 527.
— intestinal and pancreatic nitrogen in, effect of raw soybean meal and trypsin inhibitor diets on, 285.
— pancreatic enzyme secretion in, effect of raw soybean meal and trypsin inhibitor diets on, 269.
— pantothenic acid deficiency in, teratogenic effects of, 395.
— physiological behavior of calcium in, 325.
— receiving a 9% casein ration, influence of cooked vs. raw maize on the growth of, 445.
— weanling, fed protein-free rations, food intake and nitrogen retention of, 171.
— — influence of the nitrogen source on the food intake and nitrogen retention of, 185.
REID, B. L. See Creech, B. G., 83.
REUSSNER, G., JR., AND R. THIESSEN, JR. Studies on the protein quality of high-oil, high-protein corn, 575.
ROBBLEE, S. R. See Sibbald, I. R., 171; 185.
ROHRBOUGH, M. See Westerman, B. D., 151.
ROSENTHAL, H. L. See Brush, M. K., 601.

SALMON, W. D. See Day, E. J., 27; 107.
SAUBERLICH, H. E. See Day, E. J., 27; 107.
SAVAGE, J. E. See Hogan, A. G., 97.
SCHMIDT, D. A. See Miller, E. R., 407.
SCHOOLEY, J. C. See Wasserman, R. H., 367.
SCHWEIGERT, B. S. See Lushbough, C. H., 513.
SCOTT, H. M. See Griminger, P., 61.
SCOULAR, F. I., J. K. PACE AND A. N. DAVIS, WITH THE TECHNICAL ASSISTANCE OF M. H. FINLEY, S. KIRKLAND, S. TERRY, J. S. WELLS, P. W. COURTNEY AND M. M. JONES. The calcium, phosphorus and magnesium balances of young college women consuming self-selected diets, 489.
Serum cholesterol concentration in man, effects of different food fats on, 421.
SIBBALD, I. R., J. P. BOWLAND, R. T. BERG AND A. R. ROBBLEE. The food intake and nitrogen retention of weanling rats fed protein-free rations, 171.
— — A. R. ROBBLEE AND R. T. BERG. The influence of nitrogen source on the food intake and nitrogen retention of weanling rats, 185.

SLANETZ, C. A. See Kaunitz, H., 551.
SOMERS, G. F., AND W. C. KELLY. Influence of shading upon changes in the ascorbic acid and carotene content of turnip greens as compared with changes in fresh weight, dry weight and nitrogen fractions, 39.
Soybean meal (raw), effect of on the intestinal and pancreatic nitrogen in the rat, 285.
—— —— —— —— pancreatic enzyme secretion in the rat, 269.
SPEER, V. C. See Peo, E. R., Jr., 465; 475.
STAUBER, L. A. See Brush, M. K., 601.
STEMPFEL, S. J. See Pearson, W. N., 445.
SULLIVAN, T. W., AND H. R. BIRD. Effect of quantity and source of dietary nitrogen on the utilization of the hydroxy analogues of methionine and glycine by chicks, 143.
Surface-active agents, non-ionic, of the polyoxyethylene type, addition of to the diet of the hamster, the mouse and the dog, 601.
SWENDSEID, M. E., N. J. LONG AND J. A. HALSTED. Effect of vitamin B_{12} and Aureomycin supplements on vitamin B_{12} liver stores and on the development of anemia in gastrectomized rats, 585.

TERRY, S. See Scoular, F. I., 489.
Thiamine in beef exposed to gamma radiation, bioassay of, 107.
THIESSEN, R., JR. See Reussner, G., Jr., 575.
Thyroid activity, relation of to increased metabolism induced by fat deficiency, 119.
Trypsin inhibitor diets, effect of on pancreatic enzyme secretion in the rat, 269.
Tryptophan, biological availability of, 313.
— (Lysine), valine and methionine as supplements to the protein in flour. Improving the nutritive value of flour. VIII., 151.
— Utilization of amino acids from foods by the rat. IV., 513.
Turkey poult(s), effect of folic acid on the use of glycine by the, 593.
—— exudative diathesis and vitamin E deficiency in, 83.
Turnip greens, influence of shading upon changes in the ascorbic acid and carotene content of as compared with changes in fresh weight, dry weight and nitrogen fractions, 39.
Tyrosine (Phenylalanine and) requirement of the growing chick with special reference to the utilization of the D-isomer of phenylalanine, 349.

UTLEY, M. W. See Pearson, W. N., 445.

VALENZUELA, J. S. See Pearson, W. N., 445.
Valine (Lysine, tryptophan) and methionine as supplements to the protein in flour. Improving the nutritive value of flour. VIII., 151.
Vanderbilt cooperative study of maternal and infant nutrition. X. Ascorbic acid, 201.
Vitamin B_{12} and Aureomycin, effect of on vitamin B_{12} liver stores and on the development of anemia in gastrectomized rats, 585.
—— liver stores, effect of vitamin B_{12} and Aureomycin supplements on and on the development of anemia in gastrectomized rats, 585.
—— requirement of chicks, nutrients affecting, 539.
— E deficiency in turkey poults, exudative diathesis and, 83.
— (water-soluble) requirement of chinook salmon. Nutrition of salmonoid fishes, III., 225.
Vitamins, water-soluble in raw ground beef, effects of gamma radiation on, 27.

WALL, R. L. See Morris, D. W., 119.
WASSERMAN, R. H., C. L. COMAR, J. C. SCHOOLEY AND F. W. LENGEMANN. Interrelated effects of L-lysine and other dietary factors on the gastrointestinal absorption of calcium-45 in the rat and chick, 367.
WELLS, J. S. See Scoular, F. I., 489.
WESTERMAN, B. D., J. KANNARR AND M. ROHRBOUGH. Improving the nutritive value of flour. VIII. Lysine, tryptophan, valine and methionine as supplements to the protein in flour, 151.
WILSON, J. E. See Moore, T. B., 357.
Women, young college, consuming self-selected diets, calcium, phosphorus and magnesium balances of, 489.
WRIGHT, H. V. See Nelson, M. M., 395.
WUTKIER, R. E. See Ontko, J. A., 163.